

Chn	Dim	Position	U#	Type	Watt	Purpose	Color	Accessories
65		Spot Rail	5	S4 5 degree	750	A	R365	
75		Spot Rail	10	S4 5 degree	750	A	R34	
64		Spot Rail	4	S4 5 degree	750	B	R365	
74		Spot Rail	9	S4 5 degree	750	B	R34	
63		Spot Rail	3	S4 5 degree	750	C	R365	
73		Spot Rail	8	S4 5 degree	750	C	R34	
62		Spot Rail	2	S4 5 degree	750	D	R365	
72		Spot Rail	7	S4 5 degree	750	D	R34	
61		Spot Rail	1	S4 5 degree	750	E	R365	
71		Spot Rail	6	S4 5 degree	750	E	R34	
70		FOH Beam	5	S4 10 degree	750	F	R365	
80		FOH Beam	10	S4 10 degree	750	F	R34	
70		FOH Beam	4	S4 10 degree	750	G	R365	
79		FOH Beam	9	S4 10 degree	750	G	R34	
68		FOH Beam	3	S4 10 degree	750	H	R365	
78		FOH Beam	8	S4 10 degree	750	H	R34	
67		FOH Beam	2	S4 10 degree	750	J	R365	
77		FOH Beam	7	S4 10 degree	750	J	R34	
66		FOH Beam	1	S4 10 degree	750	K	R365	
76		FOH Beam	6	S4 10 degree	750	K	R34	
301		Balcony Rail	1	S4 10 degree	750	CYA UC	NC	
302		Balcony Rail	2	S4 10 degree	750	CYA UC	NC	
303		Balcony Rail	3	S4 10 degree	750	CYA UC	NC	
304		Balcony Rail	9	S4 10 degree	750	CYA UC	NC	
305		Balcony Rail	10	S4 10 degree	750	CYA UC	NC	
306		Balcony Rail	11	S4 10 degree	750	CYA UC	NC	
101		5th Electric	1	FAR CYC CELL	1000	CYC	RED	
102		5th Electric	2	FAR CYC CELL	1000	CYC	BLUE	
103		5th Electric	3	FAR CYC CELL	1000	CYC	GREEN	
101		5th Electric	5	FAR CYC CELL	1000	CYC	RED	
102		5th Electric	6	FAR CYC CELL	1000	CYC	BLUE	
103		5th Electric	7	FAR CYC CELL	1000	CYC	GREEN	
101		5th Electric	8	FAR CYC CELL	1000	CYC	RED	
102		5th Electric	9	FAR CYC CELL	1000	CYC	BLUE	
103		5th Electric	10	FAR CYC CELL	1000	CYC	GREEN	
101		5th Electric	21	FAR CYC CELL	1000	CYC	RED	
102		5th Electric	13	FAR CYC CELL	1000	CYC	BLUE	
103		5th Electric	14	FAR CYC CELL	1000	CYC	GREEN	
101		5th Electric	16	FAR CYC CELL	1000	CYC	RED	
102		5th Electric	17	FAR CYC CELL	1000	CYC	BLUE	
103		5th Electric	18	FAR CYC CELL	1000	CYC	GREEN	
101		5th Electric	20	FAR CYC CELL	1000	CYC	RED	
102		5th Electric	21	FAR CYC CELL	1000	CYC	BLUE	

Chn	Dim	Position	U#	Type	Watt	Purpose	Color	Accessories
103		5th Electric	22	FAR CYC CELL	1000	CYC	GREEN	
101		5th Electric	23	FAR CYC CELL	1000	CYC	RED	
102		5th Electric	24	FAR CYC CELL	1000	CYC	BLUE	
103		5th Electric	25	FAR CYC CELL	1000	CYC	GREEN	
101		5th Electric	27	FAR CYC CELL	1000	CYC	RED	
102		5th Electric	28	FAR CYC CELL	1000	CYC	BLUE	
103		5th Electric	29	FAR CYC CELL	1000	CYC	GREEN	
106		1st Electric	20	S4 19 degree	750	DIA.DSL.2.USR	NC	
107		2nd Electric	21	S4 19 degree	750	DIA.DSL.2.USR	NC	
104		1st Electric	12	S4 19 degree	750	DIA.DSR.2.USL	NC	
105		2nd Electric	16	S4 19 degree	750	DIA.DSR.2.USL	nNC	
1		1st Electric	7	PAR WFL	1000	DWN A	R80	
41		1st Electric	8	PAR WFL	1000	DWN A	R42	
2		1st Electric	13	PAR WFL	1000	DWN B	R80	
42		1st Electric	14	PAR WFL	1000	DWN B	R42	
3		1st Electric	15	PAR WFL	1000	DWN C	R80	
43		1st Electric	17	PAR WFL	1000	DWN C	R42	
4		1st Electric	18	PAR WFL	1000	DWN D	R80	
44		1st Electric	19	PAR WFL	1000	DWN D	R42	
5		1st Electric	24	PAR WFL	1000	DWN E	R80	
45		1st Electric	25	PAR WFL	1000	DWN E	R42	
6		2nd Electric	7	PAR WFL	1000	DWN F	R80	
46		2nd Electric	9	PAR WFL	1000	DWN F	R42	
7		2nd Electric	13	PAR WFL	1000	DWN G	R80	
47		2nd Electric	15	PAR WFL	1000	DWN G	R42	
8		2nd Electric	17	PAR WFL	1000	DWN H	R80	
48		2nd Electric	20	PAR WFL	1000	DWN H	R42	
9		2nd Electric	22	PAR WFL	1000	DWN J	R80	
49		2nd Electric	24	PAR WFL	1000	DWN J	R42	
10		2nd Electric	28	PAR WFL	1000	DWN K	R80	
50		2nd Electric	30	PAR WFL	1000	DWN K	R42	
11		3rd Electric	7	PAR WFL	1000	DWN L	R80	
51		3rd Electric	9	PAR WFL	1000	DWN L	R42	
12		3rd Electric	13	PAR WFL	1000	DWN M	R80	
52		3rd Electric	15	PAR WFL	1000	DWN M	R42	
13		3rd Electric	16	PAR WFL	1000	DWN N	R80	
53		3rd Electric	18	PAR WFL	1000	DWN N	R42	
14		3rd Electric	19	PAR WFL	1000	DWN P	R80	
54		3rd Electric	21	PAR WFL	1000	DWN P	R42	
15		3rd Electric	25	PAR WFL	1000	DWN R	R80	
55		3rd Electric	27	PAR WFL	1000	DWN R	R42	
16		4th Electric	7	PAR WFL	1000	DWN S	R80	
56		4th Electric	9	PAR WFL	1000	DWN S	R42	

Chn	Dim	Position	U#	Type	Watt	Purpose	Color	Accessories
17		4th Electric	13	PAR WFL	1000	DWN T	R80	
57		4th Electric	15	PAR WFL	1000	DWN T	R42	
18		4th Electric	16	PAR WFL	1000	DWN U	R80	
58		4th Electric	18	PAR WFL	1000	DWN U	R42	
19		4th Electric	19	PAR WFL	1000	DWN V	R80	
59		4th Electric	21	PAR WFL	1000	DWN V	R42	
20		4th Electric	25	PAR WFL	1000	DWN W	R80	
60		4th Electric	27	PAR WFL	1000	DWN W	R42	
108		1st Electric	16	S4 36 degree	750	DWN SPC	NC	
109		2nd Electric	19	S4 36 degree	750	DWN SPC	NC	
110		3rd Electric	17	S4 36 degree	750	DWN SPC	NC	
21		2nd Electric	8	S4 36 degree	750	HIGHBACK A	NC	
22		2nd Electric	14	S4 36 degree	750	HIGHBACK B	NC	
23		2nd Electric	18	S4 36 degree	750	HIGHBACK C	NC	
24		2nd Electric	23	S4 36 degree	750	HIGHBACK D	NC	
25		2nd Electric	29	S4 36 degree	750	HIGHBACK E	NC	
26		3rd Electric	8	S4 36 degree	750	HIGHBACK F	NC	
27		3rd Electric	14	S4 36 degree	750	HIGHBACK G	NC	
28		3rd Electric	17	S4 36 degree	750	HIGHBACK H	NC	
29		3rd Electric	20	S4 36 degree	750	HIGHBACK J	NC	
30		3rd Electric	26	S4 36 degree	750	HIGHBACK K	NC	
31		4th Electric	8	S4 36 degree	750	HIGHBACK L	NC	
32		4th Electric	14	S4 36 degree	750	HIGHBACK M	NC	
33		4th Electric	17	S4 36 degree	750	HIGHBACK N	NC	
34		4th Electric	20	S4 36 degree	750	HIGHBACK P	NC	
35		4th Electric	26	S4 36 degree	750	HIGHBACK R	NC	
36		5th Electric	4	S4 36 degree	1000	HIGHBACK S	NC	
37		5th Electric	11	S4 36 degree	1000	HIGHBACK T	NC	
38		5th Electric	15	S4 36 degree	1000	HIGHBACK U	NC	
39		5th Electric	19	S4 36 degree	1000	HIGHBACK V	NC	
40		5th Electric	26	S4 36 degree	1000	HIGHBACK W	NC	
141		1st Electric	1	S4 36 degree	750	IN1 NEAR SR	NC	break up
151		1st Electric	2	S4 36 degree	750	IN1 NEAR SR	R69	
161		1st Electric	3	S4 36 degree	750	IN1 NEAR SR	R316	
141		1st Electric	4	S4 26 degree	750	IN1 MID SR	NC	break up
151		1st Electric	5	S4 26 degree	750	IN1 MID SR	R69	
161		1st Electric	6	S4 26 degree	750	IN1 MID SR	R316	
141		1st Electric	9	S4 19 degree	750	IN1 FAR SR	NC	break up
151		1st Electric	10	S4 19 degree	750	IN1 FAR SR	R69	
161		1st Electric	11	S4 19 degree	750	IN1 FAR SR	R316	
241		1st Electric	21	S4 19 degree	750	IN 1 FAR SL	NC	break up
251		1st Electric	22	S4 19 degree	750	IN 1 FAR SL	R48	
261		1st Electric	23	S4 19 degree	750	IN 1 FAR SL	R76	

Chn	Dim	Position	U#	Type	Watt	Purpose	Color	Accessories
241		1st Electric	26	S4 26 degree	750	IN 1 MID SL	NC	break up
251		1st Electric	27	S4 26 degree	750	IN 1 MID SL	R48	
261		1st Electric	28	S4 26 degree	750	IN 1 MID SL	R76	
241		1st Electric	29	S4 36 degree	750	IN 1 NEAR SL	NC	break up
251		1st Electric	30	S4 36 degree	750	IN 1 NEAR SL	R48	
261		1st Electric	31	S4 36 degree	750	IN 1 NEAR SL	R76	
142		2nd Electric	1	S4 36 degree	750	IN 2 NEAR SR	NC	break up
152		2nd Electric	2	S4 36 degree	750	IN 2 NEAR SR	R69	
162		2nd Electric	3	S4 36 degree	750	IN 2 NEAR SR	R316	
142		2nd Electric	4	S4 26 degree	750	IN 2 MID SR	NC	break up
152		2nd Electric	5	S4 26 degree	750	IN 2 MID SR	R69	
162		2nd Electric	6	S4 26 degree	750	IN 2 MID SR	R316	
142		2nd Electric	10	S4 19 degree	750	IN 2 FAR SR	NC	break up
152		2nd Electric	11	S4 19 degree	750	IN 2 FAR SR	R69	
162		2nd Electric	12	S4 19 degree	750	IN 2 FAR SR	R316	
242		2nd Electric	25	S4 19 degree	750	IN 2 FAR SL	NC	break up
252		2nd Electric	26	S4 19 degree	750	IN 2 FAR SL	R48	
262		2nd Electric	27	S4 19 degree	750	IN 2 FAR SL	R76	
242		2nd Electric	31	S4 26 degree	750	IN 2 MID SL	NC	break up
252		2nd Electric	32	S4 26 degree	750	IN 2 MID SL	R48	
262		2nd Electric	33	S4 26 degree	750	IN 2 MID SL	R76	
242		2nd Electric	34	S4 36 degree	750	IN 2 NEAR SL	NC	break up
252		2nd Electric	35	S4 36 degree	750	IN 2 NEAR SL	R48	
262		2nd Electric	36	S4 36 degree	750	IN 2 NEAR SL	R76	
143		3rd Electric	1	S4 36 degree	750	IN 3 NEAR SR	NC	break up
153		3rd Electric	2	S4 36 degree	750	IN 3 NEAR SR	R69	
163		3rd Electric	3	S4 36 degree	750	IN 3 NEAR SR	R316	
143		3rd Electric	4	S4 26 degree	750	IN 3 MID SR	NC	break up
153		3rd Electric	5	S4 26 degree	750	IN 3 MID SR	R69	
163		3rd Electric	6	S4 26 degree	750	IN 3 MID SR	R316	
143		3rd Electric	10	S4 19 degree	750	IN 3 FAR SR	NC	break up
153		3rd Electric	11	S4 19 degree	750	IN 3 FAR SR	R69	
163		3rd Electric	12	S4 19 degree	750	IN 3 FAR SR	R316	
243		3rd Electric	22	S4 19 degree	750	IN 3 FAR SL	NC	break up
253		3rd Electric	23	S4 19 degree	750	IN 3 FAR SL	R48	
263		3rd Electric	24	S4 19 degree	750	IN 3 FAR SL	R76	
243		3rd Electric	28	S4 26 degree	750	IN 3 MID SL	NC	break up
253		3rd Electric	29	S4 26 degree	750	IN 3 MID SL	R48	
263		3rd Electric	30	S4 26 degree	750	IN 3 MID SL	R76	
243		3rd Electric	31	S4 36 degree	750	IN 3 NEAR SL	NC	break up
253		3rd Electric	32	S4 36 degree	750	IN 3 NEAR SL	R48	
263		3rd Electric	33	S4 36 degree	750	IN 3 NEAR SL	R76	
144		4th Electric	1	S4 36 degree	750	IN 4 NEAR SR	NC	break up

Chn	Dim	Position	U#	Type	Watt	Purpose	Color	Accessories
154		4th Electric	2	S4 36 degree	750	IN 4 NEAR SR	R69	
164		4th Electric	3	S4 36 degree	750	IN 4 NEAR SR	R316	
144		4th Electric	4	S4 26 degree	750	IN 4 MID SR	NC	break up
154		4th Electric	5	S4 26 degree	750	IN 4 MID SR	R69	
164		4th Electric	6	S4 26 degree	750	IN 4 MID SR	R316	
144		4th Electric	10	S4 19 degree	750	IN 4 FAR SR	NC	break up
154		4th Electric	11	S4 19 degree	750	IN 4 FAR SR	R69	
164		4th Electric	12	S4 19 degree	750	IN 4 FAR SR	R316	
244		4th Electric	22	S4 19 degree	750	IN 4 FAR SL	NC	break up
254		4th Electric	23	S4 19 degree	750	IN 4 FAR SL	R48	
264		4th Electric	24	S4 19 degree	750	IN 4 FAR SL	R76	
244		4th Electric	28	S4 26 degree	750	IN 4 MID SL	NC	break up
254		4th Electric	29	S4 26 degree	750	IN 4 MID SL	R48	
264		4th Electric	30	S4 26 degree	750	IN 4 MID SL	R76	
244		4th Electric	31	S4 36 degree	750	IN 4 NEAR SL	NC	break up
254		4th Electric	32	S4 36 degree	750	IN 4 NEAR SL	R48	
264		4th Electric	33	S4 36 degree	750	IN 4 NEAR SL	R76	
211		SL BOOM 1	1	S4 19 degree	750	IN 1 FAR SL	NC	
211		SL BOOM 1	2	S4 26 degree	750	IN 1 MID SL	NC	
211		SL BOOM 1	3	S4 36 degree	750	IN 1 NEAR SL	NC	
221		SL BOOM 1	4	S4 19 degree	750	IN 1 FAR SL	R21	
221		SL BOOM 1	5	S4 26 degree	750	IN 1 MID SL	R21	
221		SL BOOM 1	6	S4 36 degree	750	IN 1 NEAR SL	R21	
231		SL BOOM 1	7	S4 19 degree	750	IN 1 FAR SL	R357	
231		SL BOOM 1	8	S4 26 degree	750	IN 1 MID SL	R357	
231		SL BOOM 1	9	S4 36 degree	750	IN 1 NEAR SL	R357	
212		SL BOOM 2	1	S4 19 degree	750	IN 2 FAR SL	NC	
212		SL BOOM 2	2	S4 26 degree	750	IN 2 MID SL	NC	
212		SL BOOM 2	3	S4 36 degree	750	IN 2 NEAR SL	NC	
222		SL BOOM 2	4	S4 19 degree	750	IN 2 FAR SL	R21	
222		SL BOOM 2	5	S4 26 degree	750	IN 2 MID SL	R21	
222		SL BOOM 2	6	S4 36 degree	750	IN 2 NEAR SL	R21	
232		SL BOOM 2	7	S4 19 degree	750	IN 2 FAR SL	R357	
232		SL BOOM 2	8	S4 26 degree	750	IN 2 MID SL	R357	
232		SL BOOM 2	9	S4 36 degree	750	IN 2 NEAR SL	R357	
213		SL BOOM 3	1	S4 19 degree	750	IN 3 FAR SL	NC	
213		SL BOOM 3	2	S4 26 degree	750	IN 3 MID SL	NC	
213		SL BOOM 3	3	S4 36 degree	750	IN 3 NEAR SL	NC	
223		SL BOOM 3	4	S4 19 degree	750	IN 3 FAR SL	R21	
223		SL BOOM 3	5	S4 26 degree	750	IN 3 MID SL	R21	
223		SL BOOM 3	6	S4 36 degree	750	IN 3 NEAR SL	R21	
233		SL BOOM 3	7	S4 19 degree	750	IN 3 FAR SL	R357	
233		SL BOOM 3	8	S4 26 degree	750	IN 3 MID SL	R357	

Chn	Dim	Position	U#	Type	Watt	Purpose	Color	Accessories
233		SL BOOM 3	9	S4 36 degree	750	IN 3 NEAR SL	R357	
214		SL BOOM 4	1	S4 19 degree	750	IN 4 FAR SL	NC	
214		SL BOOM 4	2	S4 26 degree	750	IN 4 MID SL	NC	
214		SL BOOM 4	3	S4 36 degree	750	IN 4 NEAR SL	NC	
224		SL BOOM 4	4	S4 19 degree	750	IN 4 FAR SL	R21	
224		SL BOOM 4	5	S4 26 degree	750	IN 4 MID SL	R21	
224		SL BOOM 4	6	S4 36 degree	750	IN 4 NEAR SL	R21	
234		SL BOOM 4	7	S4 19 degree	750	IN 4 FAR SL	R357	
234		SL BOOM 4	8	S4 26 degree	750	IN 4 MID SL	R357	
234		SL BOOM 4	9	S4 36 degree	750	IN 4 NEAR SL	R357	
111		SR BOOM 1	1	S4 19 degree	750	IN 1 FAR SR	NC	
111		SR BOOM 1	2	S4 26 degree	750	IN 1 MID SR	NC	
111		SR BOOM 1	3	S4 36 degree	750	IN 1 NEAR SR	NC	
121		SR BOOM 1	4	S4 19 degree	750	IN 1 FAR SR	R313	
121		SR BOOM 1	5	S4 26 degree	750	IN 1 MID SR	R313	
121		SR BOOM 1	6	S4 36 degree	750	IN 1 NEAR SR	R313	
131		SR BOOM 1	7	S4 19 degree	750	IN 1 FAR SR	R24	
131		SR BOOM 1	8	S4 26 degree	750	IN 1 MID SR	R24	
131		SR BOOM 1	9	S4 36 degree	750	IN 1 NEAR SR	R24	
112		SR BOOM 2	1	S4 19 degree	750	IN 2 FAR SR	NC	
112		SR BOOM 2	2	S4 26 degree	750	IN 2 MID SR	NC	
112		SR BOOM 2	3	S4 36 degree	750	IN 2 NEAR SR	NC	
122		SR BOOM 2	4	S4 19 degree	750	IN 2 FAR SR	R313	
122		SR BOOM 2	5	S4 26 degree	750	IN 2 MID SR	R313	
122		SR BOOM 2	6	S4 36 degree	750	IN 2 NEAR SR	R313	
132		SR BOOM 2	7	S4 19 degree	750	IN 2 FAR SR	R24	
132		SR BOOM 2	8	S4 26 degree	750	IN 2 MID SR	R24	
132		SR BOOM 2	9	S4 36 degree	750	IN 2 NEAR SR	R24	
113		SR BOOM 3	1	S4 19 degree	750	IN 3 FAR SR	NC	
113		SR BOOM 3	2	S4 26 degree	750	IN 3 MID SR	NC	
113		SR BOOM 3	3	S4 36 degree	750	IN 3 NEAR SR	NC	
123		SR BOOM 3	4	S4 19 degree	750	IN 3 FAR SR	R313	
123		SR BOOM 3	5	S4 26 degree	750	IN 3 MID SR	R313	
123		SR BOOM 3	6	S4 36 degree	750	IN 3 NEAR SR	R313	
133		SR BOOM 3	7	S4 19 degree	750	IN 3 FAR SR	R24	
133		SR BOOM 3	8	S4 26 degree	750	IN 3 MID SR	R24	
133		SR BOOM 3	9	S4 36 degree	750	IN 3 NEAR SR	R24	
114		SR BOOM 4	1	S4 19 degree	750	IN 4 FAR SR	NC	
114		SR BOOM 4	2	S4 26 degree	750	IN 4 MID SR	NC	
114		SR BOOM 4	3	S4 36 degree	750	IN NEAR SR	NC	
124		SR BOOM 4	4	S4 19 degree	750	IN 4 FAR SR	R313	
124		SR BOOM 4	5	S4 26 degree	750	IN 4 MID SR	R313	
124		SR BOOM 4	6	S4 36 degree	750	IN NEAR SR	R313	

Chn	Dim	Position	U#	Type	Watt	Purpose	Color	Accessories
134		SR BOOM 4	7	S4 19 degree	750	IN 4 FAR SR	R24	
134		SR BOOM 4	8	S4 26 degree	750	IN 4 MID SR	R24	
134		SR BOOM 4	9	S4 36 degree	750	IN NEAR SR	R24	
351		HL Box Boom	1	S4 10 degree	750	AB	NC	CNSTR D
352		HL Box Boom	2	S4 10 degree	750	BC	NC	CNSTR D
353		HL Box Boom	3	S4 10 degree	750	CD	NC	CNSTR D
354		HL Box Boom	4	S4 10 degree	750	DE	NC	CNSTR D
355		HL Box Boom	5	S4 10 degree	750	FG	NC	CNSTR D
356		HL Box Boom	6	S4 10 degree	750	GH	NC	CNSTR D
357		HL Box Boom	7	S4 10 degree	750	HJ	NC	CNSTR D
358		HL Box Boom	8	S4 10 degree	750	JK	NC	CNSTR D
361		HR Box Boom	1	S4 10 degree	750	AB	NC	BLOBS
362		HR Box Boom	2	S4 10 degree	750	BC	NC	BLOBS
363		HR Box Boom	3	S4 10 degree	750	CD	NC	BLOBS
364		HR Box Boom	4	S4 10 degree	750	DE	NC	BLOBS
365		HR Box Boom	5	S4 10 degree	750	FG	NC	BLOBS
366		HR Box Boom	6	S4 10 degree	750	GH	NC	BLOBS
367		HR Box Boom	7	S4 10 degree	750	HJ	NC	BLOBS
368		HR Box Boom	8	S4 10 degree	750	JK	NC	BLOBS
371		Balcony Rail	4	S4 10 degree	750	SCRIM	NC	R77903
372		Balcony Rail	5	S4 10 degree	750	SCRIM	NC	R77903
373		Balcony Rail	6	S4 10 degree	750	SCRIM	NC	R77903
374		Balcony Rail	7	S4 10 degree	750	SCRIM	NC	R77903
375		Balcony Rail	8	S4 10 degree	750	SCRIM	NC	R77903